

Key Words Index

Vol. 80 2013

A

abortion	(2)	97
aconitine	(5)	350
acute cerebral infarction	(1)	50
adenocarcinoma	(2) 165, (3)	234
adipose-derived stem cells	(2)	140
adjuvant chemotherapy	(5)	378
adult Henoch-Schönlein purpura	(4)	268
adverse effect	(6)	460
aggressive surgery	(5)	371
allergic bronchopulmonary aspergillosis	(6)	402
alopecia areata	(6)	467
amacrine cell	(1)	16
and postprandial glucose	(3)	200
animal model	(1)	4
annual health examination	(6)	420
aortic arch calcification	(6)	410
arrhythmia	(5)	350
arterial oxygen saturation	(5)	350
atypical feature	(3)	174
audience response system	(1)	63
augmentation index	(1)	25

B

balloon catheters	(6)	433
basement membrane	(5)	387
BeWo cells	(2)	95
bile duct	(3)	234
biosynthesis	(2)	95
bipolar cell	(1)	16
bleeding	(4)	252
blood and dialysis fluid flow ratio	(2)	119
blood coagulation factor XIII	(4)	268
blood flow	(2)	119
borderline resectable cancer	(5)	371
breathing rate	(5)	350

C

calretinin	(4)	300
carbohydrate antigen 19-9	(6)	470
carcinoembryonic antigen	(6)	402

cardiac function	(4)	260
cardioplegia	(5)	328
cardiopulmonary resuscitation		
by lay person	(3)	184
CD34	(4)	300
cell fusion	(2)	95
central blood pressure	(1)	25
central sleep apnea	(3)	192
cerebral blood flow	(2)	110
cesarean scar pregnancy	(1)	70
child	(4)	260
children	(5)	387
choledochal cyst	(2)	160
chronic pancreatitis	(2) 148, (4)	312
Cilostazol Stroke Prevention Study		
(CSPS)	(1)	50
clear fluid	(5)	342
clinical background	(3)	192
clinical severity	(4)	268
clinicopathological features	(3)	224
colestimide	(3)	211
color tissue Doppler	(4)	260
computed tomography	(6)	402
computer simulation	(3)	218
conditioned place preference	(1)	34
conjunctiva	(1) 74, (6)	475
conjunctivochalasis	(1)	74
consolidation on chest radiographs	(6)	402
cornea	(1)	74
curative resection	(6)	438
CY1	(5)	378
cysts	(4)	296

D

daily profile of plasma glucose	(3)	200
definitive diagnosis	(6)	475
designated cancer hospital	(6)	481
device	(6)	446
dexmedetomidine	(2)	131
diabetes	(3)	211
diacron-reactive oxygen		
metabolites	(3) 200, (6)	410

diagnosis	(3)	174
dialysis efficiency	(2)	119
dialysis fluid flow	(2)	119
direct renin inhibitor	(1)	25
discomfort	(1)	74
docetaxel	(5)	378, (6) 451

E

eclampsia	(3)	230
eculizumab	(2)	155
elderly patients	(6)	426
Endo Mini-Retract	(6)	446
endometriosis	(2)	97
endoscopy	(4)	307
entecavir	(5)	387
esmolol	(5)	328
esophageal varices	(4)	252
ethanol	(1)	34

F

factor	(6)	481
family history taking	(1)	57
fatigue	(2)	155
finite element	(3)	218
Frey procedure	(4)	312
Frey's procedure pancreaticoduodenectomy	(2)	148
functional dyspepsia	(2)	104, (5) 362
functional gastrointestinal disorders	(2)	104

G

gastric cancer	(4)	318, (5) 378, (6) 451
gastric emptying	(5)	342
gastric lavage	(4)	307
gastric motility	(2)	104, (5) 362
gastric varices	(4)	252
gastrointestinal perforation	(6)	451
Graves' disease	(6)	467
group B <i>Streptococcus</i>	(5)	384

H

Hashimoto's thyroiditis	(6)	467
heart rate variability	(6)	420
hemodialysis	(2)	119
hemolysis	(2)	155
hepatic artery	(1)	4

hepatitis B	(5)	387
hepatocellular carcinoma	(6)	426
herpes simplex	(6)	456
hip fracture	(1)	42
human immunodeficiency virus type 1	(2)	90
human serum	(2)	140

I

imaging diagnosis	(3)	224
immunoglobulin A nephropathy	(4)	280
incontinence	(6)	433
infection	(6)	481
inguinal hernia	(4)	296
interactive classes	(1)	63
intraductal papillary neoplasm	(3)	234
intraductal tubular carcinoma	(3)	224
intraductal tubulopapillary neoplasm	(3)	224
intravenous cyclophosphamide pulse therapy	(5)	396
invasive carcinoma from intraductal tumor	(5)	371
ischemia	(2)	110
ischemia-reperfusion injury	(2)	131
ischemic postconditioning	(5)	328
ischemic preconditioning	(5)	328

K

kidney	(2)	131
--------------	-----	-----

L

lacunae	(1)	70
laparoendoscopic single-site surgery	(1)	78
laparoscopic liver resection	(6)	446
laparoscopic splenectomy	(6)	470
laparoscopy	(2)	160
latent time of swallowing reflex	(1)	50
left posterior approach	(6)	438
levofolinate	(6)	460
liver transplantation	(1)	4
locoregional complications	(2)	148
long-term outcome	(2)	148
low birth weight	(2)	90
lupus nephritis	(5)	396

M

macrophages	(2)	97
-------------------	-----	----

magnesium	(5)	328
mean transit time	(2)	110
Memokath™	(6)	433
mesopancreas	(6)	438
mild therapeutic hypothermia	(4)	287
mini-laparoscopic surgery	(1)	78
minimally invasive surgery	(1)	78
minor papilla	(2)	165
mizoribine	(4)	280
morphine	(1)	34
mortality rate	(1)	42
mucosa-associated lymphoid tissue	(6)	475
mucosa-associated lymphoid tissue lymphoma	(6)	475
myocardial infarction	(3)	192

N

neonatal herpes encephalitis	(6)	456
neonate	(4)	260, (5) 384
neurilemmoma	(4)	300
neuroimaging	(3)	174
neurological outcome	(4)	287
nicotine	(4)	307

O

obstructive sleep apnea	(3)	192
oral instruction	(3)	184
organ disorders	(4)	268
OSCE	(1)	57
osmotically active particles	(5)	342
ovarian cystectomy	(1)	78
overlap syndrome	(5)	362
oxidative stress	(3)	200, (6) 410

P

palliative care team	(6)	481
pancreaticoduodenectomy	(6)	438
paroxysmal nocturnal hemoglobinuria	(2)	155
pediatric	(5)	396
perfusion computed tomography	(2)	110
peritoneal dissemination	(4)	318
peritoneal metastasis	(5)	378
placenta	(2)	90
placenta accreta	(1)	70
placenta diseases	(2)	90
plasticity	(2)	97

platelet-derived growth factor AB	(2)	140
platelet-derived growth factor BB	(2)	140
preeclampsia	(2)	97
pregnancy induced hypertension (PIH)	(3)	230
preterm birth	(2)	90
primary central nervous system lymphoma	(3)	174
problem-based learning	(1)	63
prognostic factor	(6)	426
pterygium	(1)	74
pulmonary edema	(6)	460

R

rat	(1)	4
rats	(1)	34
reararterialization	(1)	4
regional emergency medical system	(3)	184
renal impairment	(4)	280
responders	(3)	211
retina	(1)	16
return of spontaneous circulation	(4)	287
reversible posterior leukoencephalopathy syndrome (RPLS)	(3)	230
risk factor	(1)	42
round ligament	(4)	296

S

S-1	(5)	378, (6) 451
schwannoma	(4)	300
second biopsy	(6)	475
sepsis	(5)	384
serous cystic neoplasm	(3)	224
simple swallowing provocation test	(1)	50
simulated (standardized) patient (SP)	(1)	57
sinonasal	(4)	300
sleep disorders	(2)	104, (5) 362
SP education	(1)	57
SP training programs	(1)	57
spermatic cord metastasis	(4)	318
splenic epidermoid cyst	(6)	470
strain	(4)	260
subarachnoid hemorrhage	(2)	110
subsequent major long bone fracture	(1)	42
substance P	(1)	50
substitution therapy	(4)	268
sudden cardiac arrest	(4)	287

surgery	(4)	252
surgical resection.....	(3)	234
survival	(1)	42
survival rate	(6)	426
systemic lupus erythematosus disease		
activity index	(5)	396
systemic lupus erythematosus		
responder index	(5)	396

T

team-based learning	(1)	63
telephone cardiopulmonary resuscitation ...	(3)	184
tetrodotoxin	(5)	350
tetrodotoxin-resistant channel	(5)	350
tetrodotoxin-sensitive channel	(5)	350
the fall risk assessment score	(6)	481
time course	(3)	192
tissue tracking	(4)	260

tonsillectomy.....	(4)	280
transduodenal minor papillectomy	(2)	165
transforming growth factor β 1	(2)	140
trophoblast	(2)	95
type 2 diabetes.....	(3)	200, (6) 410

U

ultrasonically activated scalpel	(4)	312
ultrasound	(1)	70
urethral stents	(6)	433
urethral strictures	(6)	433

V

vascular dividing	(6)	446
very elderly subjects	(6)	420

Z

Z-plasty	(3)	218
----------------	-----	-----