

Key Words Index

Vol. 83 2016

4

40-item quality of recovery score (4) 158

A

acetylation (2) 54
advanced esophageal cancer (6) 228
advanced gastric cancer (5) 199
Alzheimer's disease (2) 87
amniotic fluid embolism (1) 6
aneurysm (5) 196
angiotensin II receptor blocker (6) 272
anterior skull base reconstruction (3) 125
antioxidant (3) 100
apoptosis (6) 216
arc of Bühler (5) 196
arrhythmias (2) 62
Asian IMHS (3) 113
asymmetric dimethylarginine (6) 272

B

biologics (3) 118
blood pressure (5) 188
blunt liver trauma (1) 27
bone-bearing flap (3) 125
botulinum toxin (1) 15
branched-chain amino acid (6) 248

C

cancer (6) 235
candesartan cilexetil (6) 272
capecitabine (2) 81
cardiofaciocutaneous syndrome (4) 167
carotid artery (6) 268
catastrophizing (6) 262
catheter ablation (2) 62
catheter drainage (5) 203
CD8-positive T cells (1) 35
cecal volvulus (4) 172
cerebral aneurysm (6) 268
cerebral infarction (6) 272
chemotherapy (5) 199

Child-Pugh score (6) 248
childhood (1) 31
chronic tonsillitis (2) 54
cognitive behavior therapy (6) 262
colonoscopic decompression (4) 172
complex regional pain syndrome (6) 262
complication (2) 62, (5) 184, (5) 206
computed tomography-guided needle aspiration (5) 203
conservative treatment (1) 2
coronary arterial lesions (2) 71

D

DAS28 (3) 118
dimethylation (2) 54
direct maternal death (1) 6

E

early prognosis (1) 2
edaravone (3) 100
EL mice (3) 100
elderly patients (5) 199
electroencephalogram (3) 100
embolization (1) 27
epidermal cyst (5) 211
epidural anesthesia (6) 262
epigenetics (2) 54
Epstein-Barr virus-positive T/natural killer-cell lymphoproliferative disease (1) 35
erythema (4) 142
extranodal natural killer/T-cell lymphoma (4) 177
eyelid swelling (4) 177

F

Fas-Fas ligand (6) 216
fentanyl (4) 158
fulvestrant (2) 81
functional electrical stimulation (1) 15

G

gastrointestinal stromal tumor (3) 133

| | |
|--------------------------|---------|
| gene sequencing analysis | (3) 133 |
| glutathione | (3) 100 |
| guidelines | (5) 188 |

H

| | |
|-------------------------------|---------|
| heart failure | (2) 62 |
| hepatic arteriovenous fistula | (1) 27 |
| hepatic injury | (1) 27 |
| hepatocellular carcinoma | (6) 248 |
| hip fracture | (1) 2 |
| histone modification | (2) 54 |
| homonymous hemianopsia | (2) 87 |
| hyperfibrinolysis | (4) 150 |
| hypertension | (6) 272 |
| hypertrophic cardiomyopathy | (4) 167 |
| hypertrophic scar | (2) 46 |

I

| | |
|---|---------|
| infantile spasms | (4) 167 |
| infection | (6) 257 |
| infectious mononucleosis | (1) 35 |
| infundibular dilatation | (6) 268 |
| inguinal hernia | (2) 93 |
| internet survey | (6) 235 |
| interventional treatment | (5) 206 |
| inverted and segmented galea-calvarial flap | (3) 125 |

J

| | |
|-------|---------|
| Japan | (6) 235 |
|-------|---------|

K

| | |
|------------------|-----------------|
| Kawasaki disease | (2) 71 |
| keloid | (2) 46, (4) 142 |

L

| | |
|---------------------------------------|---------|
| laparoscopic | (3) 107 |
| laparoscopic cholecystectomy | (4) 172 |
| laparoscopic gastrostomy | (6) 228 |
| laparoscopic surgery | (4) 158 |
| late-onset prosthetic graft infection | (5) 203 |
| liver cirrhosis | (6) 248 |
| liver resection | (3) 107 |
| living-donor liver transplantation | (5) 206 |
| lysis onset time | (4) 150 |

M

| | |
|----------------------------|---------|
| magnetic resonance imaging | (2) 87 |
| maternal death | (1) 6 |
| maternal mortality | (1) 6 |
| metastatic breast cancer | (2) 81 |
| mid-term clinical result | (5) 184 |
| multiple organ failure | (1) 35 |
| muscle spasticity | (1) 15 |
| myocardial ischemia | (2) 71 |

N

| | |
|-----------------------------|---------|
| n-butyl-2-cyanoacrylate | (1) 27 |
| nasal type | (4) 177 |
| neuroendoscopy | (6) 268 |
| neutrophil-lymphocyte ratio | (3) 118 |
| new instrument | (3) 107 |
| notch | (1) 24 |

O

| | |
|---------------|---------|
| octogenarian | (2) 62 |
| omentopexy | (5) 203 |
| operation | (2) 93 |
| osteomyelitis | (5) 211 |

P

| | |
|------------------------------|------------------|
| pancreatic metastasis | (3) 133 |
| partial cranioplasty | (3) 125 |
| patella | (1) 24 |
| pathogenesis | (6) 216 |
| patient-controlled analgesia | (4) 158 |
| pedicled omental flap | (6) 257 |
| Peters' plus syndrome | (3) 130 |
| physical therapy | (6) 262 |
| physicians | (5) 188 |
| portal vein thrombosis | (5) 206 |
| posterior cortical atrophy | (2) 87 |
| postoperative pain | (4) 158, (6) 228 |
| Pott's puffy tumor | (5) 211 |
| pregnancy-associated deaths | (1) 6 |
| prenatal diagnosis | (3) 130 |
| prognosis | (4) 150 |

R

| | |
|-----------|---------|
| radiation | (2) 46 |
| rapport | (6) 235 |

- reduced port surgery (6) 228
- refractory interstitial keratitis (1) 31
- rehabilitation (1) 15
- rheumatoid arthritis (3) 118

S

- scar assessment (4) 142
- SECUREA (3) 107
- severe trauma (6) 257
- short femoral nail (3) 113
- single photon emission computed tomography (2) 87
- single-photon emission computed tomography/computed tomography fusion-hybrid imaging (2) 71
- sinusitis (5) 211
- skin color assessment (4) 142
- soft tissue defect (6) 257
- spectrometer (4) 142
- steroid (2) 46
- steroid tape (2) 46
- stomach (3) 133
- stress shielding (6) 223
- superior dislocation (1) 24
- systemic inflammation (4) 150

T

- tacrolimus (1) 31
- thomboelastometry (4) 150
- toxic epidermal necrolysis (6) 216
- transcatheter arterial chemoembolization (6) 248
- transcatheter arterial embolization (5) 196
- treatment satisfaction (6) 235
- trochanteric fracture of the femur (3) 113
- tumor necrosis factor α (6) 216

U

- umbilical cord blood transplantation (1) 35
- uncemented THR (5) 184
- uncemented total hip replacement arthroplasty (6) 223
- upper limb (1) 15
- uterus (2) 93

V

- varus insertion (6) 223
- vascularized bone flap (3) 125
- vigabatrin (4) 167