

Key Words Index

Vol. 91 2024

1

¹³N-ammonia positron emission
tomography (3) 277

4

4COL7S (6) 534

A

abdominal wall (6) 560
access to suicide means (5) 488
acute focal bacterial nephritis (2) 190
adipose tissue (2) 218
adverse events (4) 357
airway obstruction (3) 270
albumin (4) 383
alcoholic liver cirrhosis (2) 180
alcoholic steatohepatitis-related liver
cirrhosis (4) 362
alveolar macrophage (1) 20
amyloidosis (3) 261
analgesia (5) 426
angioplasty (1) 119
angiotensin receptor blocker (3) 285
anteromedial osteoarthritis (AMOA) (1) 88
anti-galactocerebroside (Gal-C) antibody (4) 422
antiphospholipid syndrome (6) 548
antithrombotic treatment (3) 307
aplastic anemia (3) 339
arterial dissection (1) 129, (5) 465
arteriovenous fistula (4) 383
arteriovenous fistula failure (4) 383
artery of Percheron (5) 508
arthroscopy (2) 241
artificial intelligence (2) 155
atezolizumab (3) 339
atrial fibrillation (6) 527
autoimmune thyroid disease (1) 48
autophagy (1) 2
autopsy (3) 261

B

basal cell carcinoma (3) 296
bendamustine hydrochloride (2) 162
benzodiazepine therapy (3) 347
binary logistic regression model (6) 520
biologics (6) 534
biomechanical research (1) 88
bladder carcinoma (3) 333
bone metastasis (2) 198
bone of Rosai-Dorfman disease (5) 502
breakthrough pain (5) 426
breast cancer (6) 567
Budd-Chiari syndrome (1) 119

C

C-reactive protein (1) 37
candesartan (3) 285
Candida albicans water-soluble fraction
(CAWS) (3) 285
cardiac arrest (3) 270
cardioembolic stroke (3) 322
catatonia (3) 347
cerebral infarction (1) 129
cerebrospinal fluid (4) 402
cesarean section (6) 560
child (2) 190
children (5) 508
choledochal cyst (4) 417
chronic kidney disease (5) 439
chronic limb-threatening ischemia (1) 66
CKD (4) 352
clamp-crush method (1) 108
cluneal nerve entrapment (3) 328
CMA (1) 2
color doppler ultrasonography (2) 227
contrast-enhanced computed
tomography (2) 190, (5) 465
copycat suicide (5) 488
coronary micro-circulation (3) 277
cotton filler (6) 595
COVID-19 (1) 124, (6) 520, (6) 574

COVID-19 pandemic	(2) 172, (5) 457
cryptogenic stroke	(6) 527
CT-guided renal biopsy	(6) 590
cytokines	(2) 218

D

decompression	(4) 357
delirium	(2) 233
depression	(5) 457
detective flow imaging	(2) 227
dose-dense chemotherapy	(6) 567
dotinurad	(4) 352
drug overdose	(5) 488
drug resistance	(2) 162

E

early detection	(5) 499
Edinburgh Postnatal Depression Scale (EPDS)	(5) 457
education	(1) 99
electroencephalograph	(4) 371
emergency medical service	(3) 270
emergency medicine	(2) 155
end-of-life care at home	(1) 74
endometrioma	(2) 146
endometriosis	(2) 146, (6) 560
endoscopic injection sclerotherapy	(2) 180, (4) 362
endovascular therapy	(3) 307
epidural anesthesia	(5) 426
esophageal varices	(2) 180
esophagogastric varices	(6) 541
essential thrombocythemia	(6) 541
ethical guidelines	(2) 136
ethics committees	(2) 136
everolimus	(2) 207
extra-nodal Rosai-Dorfman disease	(5) 502
extrahepatic portal vein obstruction	(6) 541

F

febuxostat	(4) 352
female	(4) 391
femoral prosthesis	(1) 88
FIB-4 index	(6) 534
first aid	(3) 270

G

gabapentin	(2) 233
Gal-1	(2) 218
ganglion	(1) 114
gastric cancer	(1) 37
gauze based	(6) 595
genitalia	(6) 595
glossopharyngeal part of the superior pharyngeal constrictor muscle	(5) 446
granuloma	(2) 207
Graves' disease	(1) 48
Group B <i>streptococcus</i>	(5) 495
Guillain-Barré syndrome (GBS)	(4) 422

H

Heimlich maneuver	(3) 270
hemodialysis	(2) 172
hemolytic anemia	(5) 512
heparin	(6) 548
hepato-biliary-pancreatic surgery	(1) 10
hepatocellular carcinoma	(2) 180
high-resolution manometry	(4) 371
histopathological margin	(3) 296
home visit rehabilitation	(5) 439
home visitation	(1) 74
hyperbaric oxygen therapy	(1) 66
hyperthyroidism	(1) 48
hyperuricemia	(4) 352

I

immune checkpoint inhibitor	(3) 339
immune-related adverse event	(3) 339
immunohistochemistry	(3) 261
infant	(6) 574
infarction	(5) 508
infertility	(3) 254
inflammatory response indicators	(1) 37
intercarpal ligaments	(2) 241
interleukin-6	(4) 402
internal carotid artery	(2) 140
interstitial lung disease	(1) 20, (2) 207
intravenous antibiotic therapy	(2) 190
invasion	(6) 554
ischemic enteritis	(5) 512
ischemic stroke	(3) 307

J

JAK2V617F mutation	(6)	541
Japanese	(3)	296, (4) 391

K

Kawasaki disease	(2)	218, (3) 277, (3) 285
Kawasaki disease model mouse	(3)	285
KL-6	(2)	207
knee kinematics	(5)	480

L

language	(2)	155
laparoscopic Hassab's operation	(6)	541
laparoscopic liver resection	(1)	108
laparoscopic surgery	(4)	417
large aneurysm	(1)	129
large-artery atherosclerosis	(3)	307
LC	(1)	83
left atrial thrombus	(3)	322
leukemia	(2)	162
levator veli palatini muscle	(5)	446
liver fibrosis	(6)	534
low back pain	(3)	328
lower extremity artery disease	(1)	66
lower gastrointestinal endoscope	(5)	512

M

macroautophagy	(1)	2
maintenance hemodialysis	(6)	520
mass casualty incidents	(1)	99
mass spectrometry	(3)	261
mastitis	(5)	495
MDR1	(2)	162
means restriction	(5)	488
medial proximal tibial angle	(5)	480
medical economic effect	(1)	59
medicine	(2)	155
mental health	(5)	457
mesenchymal stem cells	(2)	218
mesenchymal tumor	(5)	502
metamorphopsia	(1)	28
metastatic castration-resistant prostate cancer	(5)	472
microautophagy	(1)	2
miscarriage	(3)	254

mortality	(6)	520
moyamoya disease	(2)	140
MRI	(3)	333, (5) 499
multicenter study	(6)	527
muscle metastasis	(3)	333

N

<i>n</i> -butyl cyanoacrylate	(6)	579
NBCA	(6)	579
negative pressure wound therapy	(6)	595
neonatal meningitis	(5)	495
neonate	(2)	249
new energy device	(1)	108
next-generation sequencing	(5)	472
nocturnal acid reflux	(4)	371
non-occlusive mesenteric ischemia	(3)	316
non-small cell lung cancer	(3)	339
nonalcoholic steatohepatitis-related liver cirrhosis	(4)	362
nurse	(2)	198
nutrient	(3)	254

O

occipital artery-posterior inferior cerebellar artery bypass	(1)	129
operating time	(4)	377
opioids	(1)	59
organizing pneumonia	(6)	567
outcome	(1)	114
overall survival	(2)	180
oxidative stress	(2)	146

P

pacing	(1)	124
PainDETECT	(3)	328
palatopharyngeal muscle	(5)	446
palliative pharmacy	(1)	59
palliative prognostic index (PPI)	(1)	74
panfollicular	(4)	391
papaverine	(3)	316
papillary thyroid carcinoma	(5)	432
paralysis	(2)	198
parathyroid adenoma	(2)	227
paroxysmal nocturnal hemoglobinuria	(5)	512
pathological fracture	(2)	198
patients with terminal cancer	(1)	74

pediatric surgery	(6)	554
perineural spread	(3)	333
peripheral artery aneurysm	(6)	579
perirenal fat	(4)	377
PET/CT	(3)	333
pharmaceutical interventions	(1)	59
pilomatricoma	(4)	391
plantar nerve	(1)	114
plasma exchange	(6)	548
PLK-1	(2)	162
<i>Pneumocystis jirovecii</i> pneumonia	(6)	567
posterior inferior cerebellar artery	(1)	129
postoperative complications	(1)	37
postoperative hemorrhage	(5)	432
postoperative risks	(3)	347
pregnancy	(4)	417
primary hyperparathyroidism	(2)	227
primary immunodeficiency	(6)	574
prognostic factor	(6)	520
promotion activity	(4)	410
prostaglandin	(3)	316
prostate cancer	(5)	472
psoriasis	(6)	534
pulse check	(6)	527
pyelonephritis	(2)	190
pyogenic sacroiliitis	(5)	499

Q

QT prolongation	(1)	124
questionnaire	(2)	198

R

radial styloid fracture	(2)	241
radiocarpal dislocation	(2)	241
ravulizumab	(5)	512
recurrence	(3)	296
rehabilitation	(5)	439
rehabilitation hospital	(6)	527
renal abscess	(6)	590
renal cell carcinoma	(4)	377
renal prognosis	(5)	439
renal rehabilitation	(5)	439
research subjects	(2)	136
retinal disorders	(1)	28
retroperitoneal paraganglioma	(6)	554
retroperitoneoscopic radical nephrectomy	(4)	377

review recurrent pregnancy loss	(3)	254
right coronary artery occlusion	(3)	277
<i>RNF213</i>	(2)	140
robotic surgery	(1)	10
Rosai-Dorfman disease	(5)	502
ruptured aneurysm	(4)	402

S

SARS coronavirus-2	(2)	172
school nurse	(4)	410
school nursing teacher	(4)	410
school physician	(4)	410
second trimester	(5)	457
segmental stenosis	(3)	277
segmental volume	(1)	83
short stature	(4)	410
skin graft	(6)	595
skin incision	(4)	357
small renal mass	(6)	590
smoker's macrophage	(1)	20
smoking-related interstitial fibrosis	(1)	20
smoking-related interstitial lung disease	(1)	20
soft tissue of Rosai-Dorfman disease	(5)	502
SP-D	(2)	207
specialty boards	(2)	155
specified clinical trials	(2)	136
speech	(5)	446
spleen	(1)	83
stenting	(1)	119
stridor	(2)	249
subarachnoid hemorrhage	(4)	402
superb microvascular imaging	(2)	227
superior mesenteric artery	(5)	465
suprameatal tubercle	(6)	586
surgery	(1) 114, (3) 316, (4) 357, (6) 560	
surgical margin	(3)	296

T

Takotsubo cardiomyopathy	(1)	124
tarsal tunnel syndrome	(1) 114, (4) 357	
Tc-99m pertechnetate	(1)	48
thrombosis	(6)	548
thyroidectomy	(5)	432
thyrotoxicosis	(1)	48
tibial rotation	(5)	480
timing to refer to a home physician	(1)	74

tissue plasminogen activator	(3)	307
Torsade de pointes	(1)	124
training	(1)	99
transient lower esophageal sphincter		
relaxation	(4)	371
transplants.....	(6)	560
transthoracic echocardiography	(3)	322
treatment	(6)	574
triage	(1)	99
trigeminal neuralgia	(6)	586

U

upper limbs	(4)	391
-------------------	-----	-----

V

varus deformity	(5)	480
vascular access intervention therapy	(4)	383
vasculopathy.....	(2)	140
vasodilator.....	(3)	316

velum	(5)	446
venous compression	(6)	586
video-assisted surgery.....	(5)	432
virtual reality	(1)	99
visceral fat	(4)	362
vitrectomy	(1)	28
vocal cord paralysis	(4)	422
vocal fold abduction dysfunction	(2)	249

W

wrist injury	(2)	241
--------------------	-----	-----

X

X-linked agammaglobulinemia	(6)	574
-----------------------------------	-----	-----

Y

Yamaguchi classification.....	(5)	465
young suicide attempters	(5)	488